

Receipt
IFW**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant : Derek Shane Hall
Serial No. : 10/592,012
Filing Date : September 7, 2006
International Appln. No. : PCT/AU2005/00031
International Filing Date : March 9, 2005
Group Art No. : TBA
Examiner : TBA
Title : PIPE INSERT

COMMUNICATION: AMENDMENT TO FILING RECEIPT

OIPE Customer Service
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SIR:

We wish to draw to your attention that the initial Transmittal Letter to the U.S. Designated/Elected Office (form PTO-1390) submitted when filing the above-referenced National Stage U.S. patent application (September 7, 2006) contained the wrong invention title, namely, DRAIN BRUSH. The correct title for this invention is **PIPE INSERT**. (The specification, copy of the PCT application and other subsequent documents filed indicate the correct title).

This error consequently caused certain documents received from the USPTO thereafter to contain the same error (i.e., Notice of Recordation). We have not as yet received the Filing Receipt for the above-referenced application, and wish to ensure that the Filing Receipt due to be mailed out contains the correct invention title, namely, **PIPE INSERT**.

Your attention to this matter is highly appreciated.

CERTIFICATE OF MAILING UNDER 37


CFR §1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service via First Class mail service in a post-paid envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on January 17, 2007


Judith Buchman-Ziv

Respectfully submitted,

GOTTLIEB, RACKMAN & REISMAN, P.C.
Attorneys for Applicant(s)
270 Madison Avenue, 8th Floor
New York, New York 10016
(212) 684-3900


Jeffrey M. Kaden
Reg. No. 31,268

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
15 September 2005 (15.09.2005)

PCT

(10) International Publication Number
WO 2005/085694 A1

(51) International Patent Classification⁷: F16L 15/00.
15/02, 15/04, 15/08, 27/12, 27/08, 27/087, 25/12, 55/07,
55/00

(21) International Application Number:
PCT/AU2005/000331

(22) International Filing Date: 9 March 2005 (09.03.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2004901174 9 March 2004 (09.03.2004) AU

(71) Applicant (for all designated States except US): TIN-
GLEWOOD TECHNOLOGIES PTY LTD [AU/AU];
116 McPherson Drive, Norralup, W.A. 6333 (AU).

(72) Inventor; and

(75) Inventor/Applicant (for US only): HALL, Derek, Shane
[AU/AU]; 116 McPherson Drive, Norralup, W.A. 6333
(AU).

(74) Agent: WRAY & ASSOCIATES; Level 4, The Quadrant,
1 William Street, Perth, W.A. 6000 (AU).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ,
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA,
ZM, ZW.


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LI, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

[Continued on next page]

(54) Title: PIPE INSERT



(57) Abstract: A pipe insert (10) which in use is to provide a connection between spaced pipe ends (11), the insert having at least two ends, the pipe insert being adjustable to be able to vary the relative displacement between the ends, each end having connecting means (12) adapted to provide a sealing interconnection between that end and the respective pipe end. A method of connecting at least two pipe ends is also claimed.

WO 2005/085694 A1